


```

FFFFFFFFF  000000  RRRRRRRR  WW  WW  RRRRRRRR  IIIII  TTTTTTTTTT  DDDDDDDD  UU  UU
FFFFFFFFF  000000  RRRRRRRR  WW  WW  RRRRRRRR  IIIII  TTTTTTTTTT  DDDDDDDD  UU  UU
FF  00  00  RR  RR  WW  WW  RR  RR  II  TT  DD  DD  UU  UU
FF  00  00  RR  RR  WW  WW  RR  RR  II  TT  DD  DD  UU  UU
FF  00  00  RR  RR  WW  WW  RR  RR  II  TT  DD  DD  UU  UU
FFFFFFFFF  00  00  RRRRRRRR  WW  WW  RRRRRRRR  IIIII  TTTTTTTTTT  DDDDDDDD  UU  UU
FFFFFFFFF  00  00  RRRRRRRR  WW  WW  RRRRRRRR  IIIII  TTTTTTTTTT  DDDDDDDD  UU  UU
FF  00  00  RR  RR  WW  WW  RR  RR  II  TT  DD  DD  UU  UU
FF  00  00  RR  RR  WW  WW  RR  RR  II  TT  DD  DD  UU  UU
FF  00  00  RR  RR  WWW  WWW  RR  RR  II  TT  DD  DD  UU  UU
FF  00  00  RR  RR  WWW  WWW  RR  RR  IIIII  TT  DDDDDDDD  UUUUUUUUU
FF  000000  RR  RR  WW  WW  RR  RR  IIIII  TT  DDDDDDDD  UUUUUUUUU
FF  000000  RR  RR  WW  WW  RR  RR  IIIII  TT  DDDDDDDD  UUUUUUUUU

LL  IIIII  SSSSSSSS
LL  IIIII  SSSSSSSS
LL  II  SS
LL  II  SS
LL  II  SS
LL  II  SS
LL  II  SSSSSS
LL  II  SSSSSS
LL  II  SS
LL  II  SS
LL  II  SS
LL  II  SS
LLLLLLLLLL  IIIII  SSSSSSSS
LLLLLLLLLL  IIIII  SSSSSSSS

```

(2) 56
(3) 87
(4) 131

HISTORY ; Detailed Current Edit History
DECLARATIONS
FOR\$WRITE_DU - WRITE DIRECT UNFORMATTED


```
0000 1 .TITLE FOR$WRITE_DU - entry point for FORTRAN WRITE DIRECT UNFORMATTED
0000 2 .IDENT /1-012/ File: FORWRITDU.MAR Edit: JAW1012
0000 3
0000 4 *****
0000 5 *
0000 6 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 7 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 8 * ALL RIGHTS RESERVED.
0000 9 *
0000 10 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 11 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 12 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 13 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 14 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 15 * TRANSFERRED.
0000 16 *
0000 17 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 18 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 19 * CORPORATION.
0000 20 *
0000 21 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 22 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 23 *
0000 24 *
0000 25 *****
0000 26
0000 27
0000 28 ++
0000 29 FACILITY: FORTRAN Support Library - user callable
0000 30
0000 31 ABSTRACT:
0000 32
0000 33 This module contains the entry point for the FORTRAN
0000 34 WRITE DIRECT UNFORMATTED I/O statement. It is simply
0000 35 a call to FOR$$IO_BEG with bits in R0 which describe the
0000 36 parameter list. FOR$$IO_BEG interprets the parameters.
0000 37
0000 38 MAINTENANCE NOTE:
0000 39 The transfer vector (RTLVECTOR+ALLGBL) must have the following:
0000 40
0000 41 .TRANSFER FOR$WRITE DO
0000 42 .MASK FOR$$IO_BEG
0000 43 BRW FOR$WRITE_DU+2
0000 44
0000 45 This puts the correct mask in entry vector, that is FOR$$IO_BEG entry mask.
0000 46 Furthermore this module must only use R0 and R1
0000 47 since any other register might not be in the entry mask for FOR$$IO_BEG.
0000 48
0000 49 ENVIRONMENT: User access mode; mixture of AST level or not
0000 50
0000 51 AUTHOR: Richard B. Grove, CREATION DATE: 28-May-78
0000 52
0000 53 MODIFIED BY:
0000 54 T. Hastings, 29-July-78
```

```
0000 56      .SBTTL HISTORY      : Detailed Current Edit History
0000 57
0000 58
0000 59 : Edit History for Version 1
0000 60
0000 61 : 0-10 - Add comment about vectors. TNH 23-June-78
0000 62 : 0-12 - Pass arg in R0, not R0R, add comments. TNH 29-July-78
0000 63 : 1-001 - Update version number and copyright notice. JBS 16-NOV-78
0000 64 : 1-002 - Change statement type symbols to be LUB$K... JBS 07-DEC-78
0000 65 : 1-003 - Change statement type symbols to be ISB$K... JBS 11-DEC-78
0000 66 : 1-004 - Add " " to the PSECT directive. JBS 22-DEC-78
0000 67 : 1-005 - Add FOR$READ_KF, FOR$READ_KO, FOR$REWRITE_SF, FOR$REWRITE_SO,
0000 68 : FOR$READ_IF, FOR$READ_IO, FOR$WRITE_IF, FOR$WRITE_IO,
0000 69 : FOR$READ_KU, FOR$REWRITE_SU,
0000 70 : SBL 2-May-1979
0000 71 : 1-006 - Remove all entry points that need object time formatting,
0000 72 : putting them in FOR$ENTRY_OBJ so that we can arrange to
0000 73 : load the format compiler only when it is needed.
0000 74 : JBS 26-JUN-1979
0000 75 : 1-007 - Remove entry point FOR$ENCODE_MF; we will code a new module
0000 76 : for it and FOR$$IO_BEG, to see how much I/O initiation time
0000 77 : improves. JBS 02-JUL-1979
0000 78 : 1-008 - Do likewise for FOR$READ_DU and FOR$WRITE_DU. JBS 03-JUL-1979
0000 79 : 1-009 - Remove all entry points and add FOR$READ_DO; each entry
0000 80 : point gets its own module so we can selectively load
0000 81 : the necessary UDF and REC modules. JBS 09-JUL-1979
0000 82 : 1-010 - Correct some typos in the references to REC and UDF levels.
0000 83 : JBS 12-JUL-1979
0000 84 : 1-011 - New parameter format for FOR$$IO_BEG. SBL 5-Dec-1979
0000 85 : 1-012 - Change BRW FOR$$IO_BEG+2 to JMP G^FOR$$IO_BEG+2. JAW 21-Feb-1981
```

```
0000 87      .SBTTL  DECLARATIONS
0000 88
0000 89
0000 90      : INCLUDE FILES:
0000 91      :
0000 92
0000 93      $FORPAR      : Define inter-module FORTRAN symbols
0000 94      $ISBDEF      : Define statement type symbols
0000 95
0000 96      :
0000 97      : EXTERNAL SYMBOLS:
0000 98      :
0000 99
0000 100     .DSABL  GBL      : Declare all external symbols
0000 101     .EXTRN  FOR$$IO_BEG      : common I/O statement processing
0000 102
0000 103     :+ The following references are to make sure the necessary UDF and REC
0000 104     : modules are loaded. These are the routines which are called through
0000 105     : the dispatch tables in FOR$$DISPAT.
0000 106     :-
0000 107     .EXTRN  FOR$$UDF_WU0, FOR$$UDF_WU1, FOR$$UDF_WU9
0000 108     .EXTRN  FOR$$REC_WD0, FOR$$REC_WD1, FOR$$REC_WD9
0000 109
0000 110     :
0000 111     : MACROS:
0000 112     :
0000 113     : NONE
0000 114     :
0000 115     : PSECT DECLARATIONS:
0000 116     :
0000 117
0000 118     .PSECT  _FOR$CODE PIC,USR,CON,REL,LCL,SHR,EXE,RD,NOWRT,LONG
0000 119
0000 120     :
0000 121     : EQUATED SYMBOLS:
0000 122     :
0000 123     :
0000 124     :
0000 125     :
0000 126     : OWN STORAGE:
0000 127     :
0000 128     : NONE
0000 129     :
```



```
0000 131 .SBTTL FOR$WRITE_DU - WRITE DIRECT UNFORMATTED
0000 132
0000 133 :++
0000 134 : FUNCTIONAL DESCRIPTION:
0000 135
0000 136 : Initialize the FORTRAN I/O system to perform
0000 137 : a WRITE DIRECT UNFORMATTED I/O statement.
0000 138
0000 139 : CALLING SEQUENCE:
0000 140
0000 141 : CALL FOR$WRITE_DU (unit.rl.v, record_no.rl.v,
0000 142 : [, err_adr.j.r [, end_adr.j.r]])
0000 143
0000 144 : INPUT PARAMETERS:
0000 145
0000 146 : unit.rl.v logical unit number
0000 147 : record_no.rl.v record number to WRITE
0000 148 : [err_adr.j.r] optional ERR= address
0000 149 : [end_adr.j.r] optional END= address
0000 150
0000 151 : IMPLICIT INPUTS:
0000 152
0000 153 : NONE except those used by FOR$$IO_BEG.
0000 154
0000 155 : OUTPUT PARAMETERS:
0000 156
0000 157 : NONE
0000 158
0000 159 : IMPLICIT OUTPUTS:
0000 160
0000 161 : NONE except those left by FOR$$IO_BEG.
0000 162
0000 163 : COMPLETION CODES:
0000 164
0000 165 : NONE
0000 166
0000 167 : SIDE EFFECTS:
0000 168
0000 169 : NONE except those of FOR$$IO_BEG.
0000 170
0000 171 :--
0000 172
0000 173 FOR$WRITE DU:: .MASK FOR$$IO_BEG
50 07 0000' 0002 174 MOVZBL #ISB$K ST_TY WDO, R0 ; Statement type
00000002'GF 17 0005 175 JMP G^FOR$$IO_BEG+2 ; branch past call mask
000B 176
000B 177
000B 178 .END
```

FOR\$WRITE DU
Symbol table

FOR\$\$IO BEG	*****	X	00
FOR\$\$REC_WD0	*****	X	00
FOR\$\$REC_WD1	*****	X	00
FOR\$\$REC_WD9	*****	X	00
FOR\$\$UDF_WU0	*****	X	00
FOR\$\$UDF_WU1	*****	X	00
FOR\$\$UDF_WU9	*****	X	00
FOR\$WRITE DU	00000000	RG	01
ISBSK_ST_TY_WDU	= 00000007		

! Psect synopsis !

PSECT name	Allocation	PSECT No.	Attributes														
ABS	00000000 (0.)	00 (0.)	NOPIC	USR	CON	ABS	LCL	NOSHR	NOEXE	NORD	NOWRT	NOVEC	BYTE				
_FOR\$CODE	0000000B (11.)	01 (1.)	PIC	USR	CON	REL	LCL	SHR	EXE	RD	NOWRT	NOVEC	LONG				

! Performance indicators !

Phase	Page faults	CPU Time	Elapsed Time
Initialization	30	00:00:00.06	00:00:01.01
Command processing	126	00:00:00.62	00:00:04.09
Pass 1	126	00:00:01.24	00:00:04.51
Symbol table sort	0	00:00:00.19	00:00:00.29
Pass 2	45	00:00:00.43	00:00:01.82
Symbol table output	3	00:00:00.02	00:00:00.02
Psect synopsis output	2	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	334	00:00:02.59	00:00:11.85

The working set limit was 1050 pages.
6686 bytes (14 pages) of virtual memory were used to buffer the intermediate code.
There were 20 pages of symbol table space allocated to hold 187 non-local and 0 local symbols.
178 source lines were read in Pass 1, producing 8 object records in Pass 2.
9 pages of virtual memory were used to define 2 macros.

! Macro library statistics !

Macro library name	Macros defined
_\$255\$DUA28:[FORRTL.OBJ]FORRTL.MLB;1	2
_\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0
TOTALS (all libraries)	2

183 GETS were required to define 2 macros.

There were no errors, warnings or information messages.

MACRO/ENABLE=SUPPRESSION/DISABLE=(GLOBAL,TRACEBACK)/LIS=LIS\$:FORWRITDU/OBJ=OBJ\$:FORWRITDU MSRC\$:FORWRITDU/UPDATE=(ENH\$:FORWRITDU)+LI

0185

AH-BT13A-SE
 VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY